Issue No. 2 Issue Date : 01/10/2020 Revision No. 3

Issue Date: 05/08/2023

الشركة السعودية للفحص والاختبار SAUDI INSPECTION & TESTING CO. (SAITCO)

ملحق7 - أ:ملاحق متطلبات العملية- نتائج الاختبارات مختبر الكهرباء Appendix 7-A: LAB process REQ. TEST RESULTS -ELECTRICAL LAB



Code of product in Lab: F-144 –(EFF) بيانات المختبر LAB DATA Laboratory name اسم المختبر Saudi Inspection & Testing Co.(SAITCO) العنوان 1st Industrial Area, St. No.4,5,6,7-Riyadh **Address** الدولة Country Saudi Arabia بيانات العميل Client Data Sample Date in تاريخ استلام العينة 15/05/2023 Date or period of tests 17/05/2023 24/05/2023 تاريخ / فترة الاختبار Date of report issue تاريخ اصدار التقرير 30 / 11 / 2023 Laboratory test report رقم التقرير بالمختبر E-230571 number اسم العميل Client Name Awad adi Nahas Trading Co. Administration Building - 3rd Floor | Jeddah 21463 **Client Address** عنوان العميل P.O. Box 11529 Kingdom of Saudi Arabia مرجع العميل 15/05/2023 Client Reference No. / Date عدد العبنات المستلمة 1 No of received Samples بيانات العينة Sample Data REFRIGERATOR **Product description** وصىف المنتج العلامة التجارية Brand name or trademark **LIEBHERR** EKB 9471 Type or reference النوع / المرجع **Country of Origin** بلد الصنع Austria Manufacture / factory Name اسم المصنع Liebherr-Hausgeräte Lienz GmbH Manufacture / factory Dr.-Hans-Liebherr-Straße 1 عنوان المصنع 9900 Lienz/ Austria **Address** Refrigerators, Refrigerator- Freezers and Freezers تصنيف المنتج -Energy Performance, Testing and Labeling **Products Category** Requirements Standard / TR No. رقم المواصفة / اللائحة SASO 2892:2018 حالات الحكم على نتيجة الاختبار Test case verdicts ✓ Yes □No Conformity to articles tested Test case does not apply to the test object Not Applicable N/A Pass P Test item does meet the requirement F Test item does not meet the requirement Fail



| Test Report No : | E-230571 | Standard No | SASO 2892 | |
|------------------|----------|-------------------|-----------------|---------|
| Clause | | Requirement -Test | Result - Remark | Verdict |

| 4 | PRODUCT CATEGORIES | | | | | |
|---|--------------------|--|--|-----------------|------------------------|---|
| | Refriger | ating appliances | are classified into cat | egories as | A 11 1 0 1 4 | |
| | | Table 1. | | 9 | Applied Category 1 | - |
| | Table 1 | - Category Des | signation | | | |
| | 1 | Refrigerator wit | h one or more fresh-fo | ood storage c | ompartments | Р |
| | 2 | Refrigerator-ce | llar, Cellar and Specifi | c beverage s | torage appliances | N |
| | 3 | Refrigerator-ch | iller and Refrigerator v | vith a 0-star c | compartment | N |
| | 4 | Refrigerator wit | Refrigerator with a one-star compartment | | | N |
| | 5 | Refrigerator wit | h a two-star compartn | nent | | N |
| | 6 | 6 Refrigerator with a three-star compartment | | | | Ν |
| | 7 | Refrigerator-fre | ezer | | | Ν |
| | 8 | Upright freezer | | | | Ν |
| | 9 | Chest freezer | | | | Ν |
| | 10 | Multi-use and o | ther refrigerating appl | iances | | N |
| | Refriger | ating appliances | that cannot be classif | ied in | | |
| | | | e of compartment ten | nperature | Category 1 | _ |
| | | sified in category | | | Category | |
| | | | are also classified into one or | | _ | |
| | _ | | shown in Table 2. | | | |
| | Table 2 | - Climate class | | | | |
| | | Class | Symbol | Ambient av | erage temperature (°C) | |
| | Extend | ded temperate | SN | | +10 to +32 | Р |
| | | emperate | N | | +16 to +32 | N |
| | | ubtropical | ST | | +16 to +38 | N |
| | | Tropical | T | | +16 to +43 | Р |
| | | itegory is defined ition as specified | l by the specific compa ⊢in Table 3 | artment | - | Р |
| | | al temperatures expressed in table 3 apply for ination of the EEI. | | Applied | - | |
| | the requ | | ce shall be capable of peratures in the differ ously | | Capable | Р |
| | Multi-us | e appliances and of maintaining the | d/or compartments sha ne required storage | all be | - | N |

| 5 | CRITERIA FOR APPLYING THE MINIMUM ENERGY PERFOR (MEPS) | MANCE STANDARI |) |
|-------|---|----------------|---|
| 5.1 | Declaration of rated values | - | Р |
| | Rated capacity shall be expressed only in terms of liters(L) | Expressed in L | Р |
| | Rated power (W) | 236.2W | Р |
| | Energy Efficiency (%) | - | Ν |
| | Annual Energy (kWh) | - | Ν |
| 5.2 | Determining the Minimum Energy Performance | - | Р |
| 5.2.1 | Minimum energy performance are based on the Energy Efficiency Index (EEI) | Applied | - |
| | Details for calculation of the EEI are given in annex B. | - | |
| 5.2.2 | Minimum Energy Performance Standard for Refrigerating | Appliances | |
| | Refrigerating appliances with a storage volume equal to or higher than 10 liters shall comply with the energy efficiency index limits in Table 5. | - | Р |

| F07-08-02 A | Page 2 of 8 | Issued By: QGM | Approved By: GM | | |
|--|-------------------------|----------------|---------------------------|--|--|
| (MB # galssue No:) | Issue Date : 01/10/2020 | Revision No: 2 | Revision Date: 12/06/2023 | | |
| SAITCO/First Industrial City area, Riyadh Station area beside dry customs St.4,5,6,7 Building No.2433, Riyadh 11427, PO 27711, Tel: +966 11 2043000,Fax +966 1 2042888 www.saitto.com.sa | | | | | |

| Test Report No : | E-230571 | Standard No | SASO 2892 | |
|------------------|-------------------|-------------|-----------------|---------|
| Clause | Requirement -Test | | Result - Remark | Verdict |

| | | | | | Measured | |
|-----------------|--|----------|--|--------------|------------------|---|
| | Table 5 - | | | | | |
| S | Starting 6 months after announcement in the Official Gazette (Um Al-Qura) | | EEI < 70 | EEI = 40.7 | - | |
| | Starting January 1st, 2 | 2020 | EEI < 45 | | | |
| 5.3 | 5.3 Acceptance criteria for labelling and market surveillance | | | surveillance | | |
| | | | cepted as valid whe | | - | - |
| | | Table | 6 – Acceptance o | riteria | | |
| Mea | sured parameter | Verifica | tion tolerances | Limit | Measured Value | - |
| Gross | s (total) volume | < | ured shall not 3% or 1L ed value (430L) | 417.1 | 428.39 | Р |
| S | torage volume | < | ured shall not 3% or 1L ed value (430L) | 417.1 | 428.39 | Р |
| | zen-food storage volume (3***) | | ured shall not < 10% ated value () | - | - | N |
| Ene | ergy consumption | , , | easured shall not >10% te d value (-) | - | 0.407 Kwh/24h | - |
| | er consumption w 10 Liters) | Measur | ed value shall ≤ 0.10W | - | - | N |
| Speci applia | ific beverage ances | F | RH x 1.10 | - | - | N |

| 6 | Label and classification | | |
|-----|--|-------------------|---|
| 6.1 | Determining the energy efficiency class | Measured Class D | Р |
| | energy efficiency class for each product shall be determined as outlined in Table 7 | EEI = 40.7 | Р |
| 6.2 | Design and placement of the label | | |
| | The label shall be printed as illustrated in Figure 1.For all types of products within the scope of this standard, the label shall be visible and fixed on the most prominent part the of the product. Also, another label shall be fixed and non-removable on the product packaging." | - | N |
| | energy efficiency classes shall each be represented as follows: with a fixed number of color-coded bars as outlined in Table 7 and Illustrated in Figure 1 | | N |
| | The label must be 100 mm wide and 170 mm high | - | N |
| | The label shall be on the most prominent part of the product packaging to be easily visible to the consumer | - | N |

| F07-08-02 A | Page 3 of 8 | Issued By: QGM | Approved By: GM | | |
|--|-------------------------|----------------|---------------------------|--|--|
| (MB # gassue No:2 | Issue Date : 01/10/2020 | Revision No: 2 | Revision Date: 12/06/2023 | | |
| SAITCO/, First Industrial City area, Riyadh Station area beside dry customs St.4,5,6,7 Building No.2433, Riyadh 11427, PO 27711, Tel: +966 11 2043000, Fax +966 1 2042888, www.saitco.com.sa | | | | | |

| Test Report No : | E-230571 | Standard No | SASO 2892 | | |
|------------------|----------|-------------------|-----------------|---------|--|
| Clause | | Requirement -Test | Result - Remark | Verdict | |

| Table 7 - MIMIMUM VALUE OF THE ENERGY EFFICIENCY INDEX | | | | |
|--|--------|---------|---------------|--|
| Bar colour | Energy | y class | EEI | |
| Dark green | Í | A | EEI < 20 | |
| Green | ب | В | 20 ≤ EEI < 28 | |
| Light green | 7 | С | 28 ≤ EEI < 35 | |
| Yellow | ٥ | D | 35 ≤ EEI < 45 | |
| Orange | ھ | Е | 45 ≤ EEI < 55 | |
| Red | و | F | 55 ≤ EEI < 70 | |
| Dark Red | ز | G | EEI ≥ 70 | |

| | Energy Class | Measured EEI | |
|-----|--|-------------------------------------|-------|
| | D | 40.7 | |
| 6.3 | Information and values contained on the | label | |
| | The fields (a), (b), (c), (d), (e), (f), (g) and (l) comply with the following requirements: | n) shall | N |
| | a) SASO Logo | - | N |
| | b) QR code | - | N |
| | c) Energy efficiency classes | - | N |
| | d) Storage volume (I) | - | N |
| | e) Frozen Storage Volume (I) | - | N |
| | f) Annual Energy consumption | - | N |
| | g)Category of Product | - | N |
| | h)General product description (Brand no Country of Origin, model number) | ame, _ | N |
| 7 | Marking and instructions | | |
| 7.1 | General information | | |
| | Information shall be marked on the namepl refrigerator, refrigerator- freezer or (Arabic and English) | in (English) nameplate / English | Р |
| | The marking shall not be on a detachable punit and shall be indelible, durable and eas | | ole P |
| 7.2 | Nameplate information | - | Р |
| | The nameplate information shall include, for conformity to this standard the following information. | | Р |
| | Manufacturer name | LIEBHERR | Р |
| | Model number | EKB 9471 | Р |
| | Country of origin | Austria | Р |
| | Product category | 1 | Р |
| | •Rated power (W) | 236.2W | Р |
| | •Rated volume for food storage (L) | 430L | Р |
| | Rated volume for frozen food storage | | N |
| | •Climate class: SN, N, ST or T | SN-T | P |
| | •Rated voltage (V) | 220-240 V~ | P |
| | Classification (unit-less) | - | N |
| | •Annual energy consumption (AE _c) (kW | /h) - | N |
| 7.3 | Instruction sheet | Instruction manual provided | |
| | An instruction sheet or manual in (Arabic) of and English) shall be delivered with each Refrigerator, refrigerator- freezer or freezer | Arabic/English | Р |
| | Tables, drawings and circuit diagrams may depicted in English only | be Provided | Р |

| F07-08-02 A | Page 4 of 8 | Issued By: QGM | Approved By: GM | | |
|---|-------------------------|----------------|---------------------------|--|--|
| (MB # 3 dessue No: 2 | Issue Date : 01/10/2020 | Revision No: 2 | Revision Date: 12/06/2023 | | |
| SAITCO/First Industrial City area, Riyadh Station area beside dry customs St.4,5,6,7 Building No. 2433, Riyadh 11427, PO 27711, Tel: +966 11 2043000, Fax +966 12042888 www.saitto.com.sa | | | | | |

| Test Report No : | E-230571 | Standard No | SASO 2892 | |
|------------------|-------------------|-------------|-----------------|---------|
| Clause | Requirement -Test | | Result - Remark | Verdict |

| The instruction sheet or manual shall include the | - | Р |
|--|-------------------|---|
| following information as a minimum: | LIEDLIEDD | |
| a.Supplier's name or trade mark | LIEBHERR | P |
| b.Supplier's model identifier | EKB 9471 | Р |
| c.Category of the refrigerating appliance Category of the refrigerating appliance model in accordance with table 1 and climate classes in accordance with table 2. | 1 | Р |
| d.Energy efficiency class of the model in accordance with table 7 | D | Р |
| e.Annual energy consumption (AE _C) (kWh) | 148.56 kWh/year | Р |
| f.Storage volume of each compartment and applicable star categories in accordance with Table 3, if any. | Provided | Р |
| g.The design temperature of 'other compartments' within the meaning of Annex B For special beverage storage compartments | - | N |
| h.The mention 'frost-free' for the relevant compartment(s) | Refrigerator Only | N |
| i.Power cut safe "X" h' defined as 'temperature rise time' | - | N |
| j.Freezing capacity' in kg/24 h | Refrigerator | N |
| k.Climate class' in accordance with Clause 4 Table | SN-T | Р |
| In the model is intended to be a built-in appliance, an indication to this effect | See manual | Р |
| | | |

| Design and Dimension of Energy Efficiency Label | | | | | |
|--|------------------|---------------------------|------------------|---------|--|
| Figure 1 – Illustration of the label (informative) 2.3.1.2.1.5.1.2.7.3.1.2.2.1.3.1.3.1.3.1.3.1.3.1.3.1.3.1.3 | Point to measure | Required value (mm) | Measured (mm) | verdict | |
| (A) 170mm | А | - | - | N | |
| The state of the s | В | - | - | N | |
| (8) 100 11111 | | | | | |

| ANNEX B | Calculation of the Energy Efficiency Ir | ndex (EEI) | | |
|---------|---|------------|------------------|---|
| B.1 | The Annual Energy Consumption of refrigerating appliance is compared to its Standard Annual Energy Consumption. | | | |
| | $EEI = 100 \times AE_{C}/SAE_{C}$ AE_{C} 148.56 | | SAE _C | |
| | | | 364.76 | - |
| | | EEI = 40.7 | Р | |
| | AE _C = Annual Energy Consumption of the | е | - | Р |

| F07-08-02 A | Page 5 of 8 | Issued By: QGM | Approved By: GM | | |
|---|-------------------------|----------------|---------------------------|--|--|
| (MB 7 9 desue No: 2 | Issue Date : 01/10/2020 | Revision No: 2 | Revision Date: 12/06/2023 | | |
| SAITCO/First Industrial City area ,Riyadh Station area beside dry customs St.4,5,6,7 Building No.2433 , Riyadh 11427, PO 27711 , Tel: +966 11 2043000,Fax +966 1 2042888, www.saitco.com.sa | | | | | |

| Test Report No : | E-230571 | Standard No | SASO 2892 | |
|------------------|-------------------|-------------|-----------------|---------|
| Clause | Requirement -Test | | Result - Remark | Verdict |

| | refrigerating appliance | | | | | | |
|--|---|---------------|-----------------|--------------|---------------------------|----------|----------|
| | SAE _C = Standard Ann refrigerating appliance | ual Energy | y Consump | tion of the | - | | Р |
| B.2 | Determination of the A | | ergy Consu | mption AEC | ; | | |
| | Annual Energy Consumption (AEC) is calculated in kWh/year | | | | | | |
| | AE _C = 365 x E ₂₄ | 4h | | 365 | E _{24h =} 0.407 | kwh/24h | - |
| | - | | | | $AE_{C} = 148.50$ | 6 | - |
| | E _{24h} = energy consum appliance in kWh/24h | • | e refrigerati | ng | 0.407 kv | wh/24h | - |
| B.3 | Determination of the S | Standard A | nnual Ener | gy Consum | ption (SAE _C) | | Р |
| | Standard Annual Ener | rgy Consui | mption (SA | Ec) (kWh/ye | | | |
| | | | V _{eq} | М | N | CH | |
| SA | $E_C = V_{eq} \times M + N + CH$ | _ | 514 | 0.233 | 245 | 0 | <u>P</u> |
| | SAE _c = 364.76 | | | | | - | |
| V_{eq} = equivalent volume of the refrigerating appliance - | | | | | • | P | |
| | CH= 50 kWh/year for chill compartment with equal to 0 kWh/y22ea | n a storage | • | | - | | N |
| | M and N values are given in Table B3 for each refrigerating appliance category. | | | 0.233/ 245 | | - | |
| B.4 | Calculation of the Volu Annual Energy Consu | ume equiva | alent used f | or the calcu | ulation of the | Standard | |
| rc=n | os | N =1 | Total Vc | Vc | (<u>25-Tc)</u> 20 | FFc | |
| $V_{eq} = \left[\sum_{c=1}^{\infty} V_c \times \frac{C}{c} \right]$ | $\frac{25 - T_C)}{20} \times FF_C \bigg] \times CC \times BI$ | Freezer | - | - | - | - | |
| | | Fresh Food | 428.39 | 428.39 | 1 | 1 | |
| Total V | | - | | Veq = | = 514 | | |
| 428.39 | 1.2 1.0 | | | | | | |
| | n= number of compa | rtments | | | | - | - |
| | Vc = storage volume | | partment(s) | | | • | - |
| | Tc = nominal temperature of the compartment(s) (Table 3) | | | | | - | |
| | 25-Tc/ 20 = thermody | namic fact | or (Table B | 1) | | • | - |
| | FFc, CC, BI = volume | e correction | on factors | (Table B2) | | - | - |

| Remarks : | |
|-----------|--|
| a. | |

| F07-08-02 A | Page 6 of 8 | Issued By: QGM | Approved By: GM |
|--------------------|--|---|---|
| (MB # gassue No: } | Issue Date : 01/10/2020 | Revision No: 2 | Revision Date: 12/06/2023 |
| | Station area beside dry customs St.4.5.6.7 Building No.2 | .433 . Rivadh 11427. PO 27711 . Tel : +966 11 2043000 |).Fax +966 1 2042888, www.saitco.com.sa |

| Test Report No : | E-230571 | Standard No | SASO 2892 | |
|------------------|-------------------|-------------|-----------------|---------|
| Clause | Requirement -Test | | Result - Remark | Verdict |

Photo No. 1 (Marking)




Photo No.2 (General view and Package)







Conformity Decision is usually included in the report, unless the agreement states otherwise by the client.

| F07-08-02 A | Page 7 of 8 | Issued By: QGM | Approved By: GM |
|---|--|--|---|
| MB # gassue No: 2 | Issue Date : 01/10/2020 | Revision No: 2 | Revision Date: 12/06/2023 |
| SAITCO First Industrial City area ,Riyadh | Station area beside dry customs St.4,5,6,7 Building No.2 | 433 , Riyadh 11427, PO 27711 , Tel : +966 11 2043000 |),Fax +966 1 2042888, www.saitco.com.sa |

| Test Report No : | E-230571 | Standard No | SASO 2892 | |
|------------------|-------------------|-------------|-----------------|---------|
| Clause | Requirement -Test | | Result - Remark | Verdict |

| Results Notes: The acceptance criterion is based | A-The relevant TR Requirements □ | | B-The relevant standard specifications □ | | |
|--|--|---|--|--|--|
| on: | C- Manufacturer's manua | l (product | D- Cus | D- Customer requirements □ | |
| | technical data sheet) □ | | | _ | |
| Acceptance Rule is based on: | Special Case | Rejecti | on Rule | (Failing)is based on: | |
| A- The measured value (+) measurement uncertainty value is less than the maximum required to criteria of acceptance. B- The measured value (-) measurement uncertainty value is greater than the minimum required to criteria of acceptance. | May be accept if: Measured result ≤ the upper limit Measured result ≥lower limit May be rejected if: measured value < the upper limit measured result >lower limit | Reject when confidence level than 95% is acce | a of less | A- The measured value (+) measurement uncertainty value is greater than the maximum required to criteria of acceptance. B- The measured value (-) measurement uncertainty value is less than the minimum required to criteria of acceptance. | |
| | - | - | | <u> </u> | |
| | I = uncertainty interval of agreed method | | | | |

| ☑ The sample passed all the above-mentioned tests in accordance with the requirements of the product | | | | | | | | |
|--|------|----------------------------|--------------------------|--------------------------------|-------------------|--|--|--|
| ☐ The sample passed all the tests mentioned above in accordance with the requirements for the product, except for the test where the measured value does not meet the requirements of the product mentioned in the attached standard specifications. | | | | | | | | |
| The result is for the sample referred to in the report, which has been tested only and is only representative of itself. | | | | | | | | |
| Accreditation statues : | | All tests are accredit : □ | | All tests are accredit except: | | | | |
| REMARK: SOFT COPY OF THE CONTROL TEST RESULT SHEET IS AUDITED BY THE LAB SUPERVISOR | | | | | | | | |
| | | Inspected by | Lab supervisor/ Reviewer | | Technical Manager | | | |
| Name | | | Q | | | | | |
| Sign | (MB# | gun | Takana | | and as the | | | |
| Date | | 30 / 11 / 2023 | 30/11/2 | 023 | 30 / 11 / 2023 | | | |
| "End of Report" | | | | | | | | |



| F07-08-02 A | Page 8 of 8 | Issued By: QGM | Approved By: GM | | | |
|--|-------------------------|----------------|---------------------------|--|--|--|
| (MB # 3 dissue No:2 | Issue Date : 01/10/2020 | Revision No: 2 | Revision Date: 12/06/2023 | | | |
| SAITCO/, First Industrial City area, Riyadh Station area beside dry customs St.4,5,6,7 Building No.2433, Riyadh 11427, PO 27711, Tel: +966 11 2043000, Fax +966 1 2042888, www.saitco.com.sa | | | | | | |